



• • • •

```

LL          IIIII
LL          IIIII
LL          III
LL          III
LL          III
LL          III
LL          III
LL          III
LL          III
LL          III
LL          III
LL          III
LL          III
LL          III
LLLLLLLLLL IIIII
LLLLLLLLLL IIIII
SSSSSSSSSS
SSSSSSSSSS
SS
SS
SS
SS
SSSSSS
SSSSSS
SS
SS
SS
SS
SSSSSSSS
SSSSSSSS

```

(2)	49	HISTORY	; Detailed Current Edit History
(3)	59	DECLARATIONS	
(4)	86	FOR\$ENODEF	- Define FORTRAN error numbers as GLOBALs



```
0000 1      .TITLE FOR$ENODEF - FORTRAN error number definitions
0000 2      .IDENT /1-003/                               ; File: FORENODEF.MAR Edit: SBL1003
0000 3
0000 4
0000 5      :*****
0000 6      :
0000 7      :*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8      :*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9      :*  ALL RIGHTS RESERVED.
0000 10     :
0000 11     :*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12     :*  ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13     :*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14     :*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15     :*  OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16     :*  TRANSFERRED.
0000 17     :
0000 18     :*  THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19     :*  AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20     :*  CORPORATION.
0000 21     :
0000 22     :*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23     :*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24     :
0000 25     :*****
0000 26     :
0000 27     :
0000 28     :
0000 29     : FACILITY: FORTRAN SUPPORT LIBRARY
0000 30     :++
0000 31     : ABSTRACT:
0000 32     :
0000 33     :     Define FORTRAN error numbers as GLOBALs of the form FOR$K_abcnnoxyz
0000 34     :
0000 35     :--
0000 36     :
0000 37     : VERSION: 1-001
0000 38     :
0000 39     : HISTORY:
0000 40     :
0000 41     : AUTHOR:
0000 42     :     Thomas N. Hastings, 6-Aug-77: Version 0
0000 43     :
0000 44     : MODIFIED BY:
0000 45     :
0000 46     :
0000 47     :
```

FOR\$ENODEF  
1-003

G 4

- FORTRAN error number definitions 15-SEP-1984 23:52:15 VAX/VMS Macro V04-00 Page 2  
HISTORY ; Detailed Current Edit History 6-SEP-1984 10:55:09 [FORRTL.SRC]FORENODEF.MAR;1 (2)

```
0000 49 .SBTTL HISTORY ; Detailed Current Edit History
0000 50
0000 51
0000 52 ; Edit History for Version 0
0000 53 ;
0000 54
0000 55 : 1-001 - Update version number and copyright notice. JBS 16-NOV-78
0000 56 : 1-002 - Add "" to the PSECT directive. JBS 22-DEC-78
0000 57 : 1-003 - Use SDL version of global declaration. SBL 26-Aug-1982
```

```
0000 59          .SBTTL DECLARATIONS
0000 60
0000 61 ::
0000 62 :: INCLUDE FILES:
0000 63 ::
0000 64          $FORERR ..EQU=<==>          ; Define symbols and make GLOBAL
0000 65 ::
0000 66 :: EXTERNAL SYMBOLS:
0000 67 ::
0000 68
0000 69 ::
0000 70 :: MACROS:
0000 71 ::
0000 72
0000 73 ::
0000 74 :: PSECT DECLARATIONS:
0000 75 ::
00000000 76          .PSECT _FOR$CODE PIC,SHR,LONG,EXE,NOWRT
0000 77 ::
0000 78 :: EQUATED SYMBOLS:
0000 79 ::
0000 80
0000 81 ::
0000 82 :: OWN STORAGE:
0000 83 ::
0000 84
```



- FORTRAN error number definitions 15-SEP-1984 23:52:15 VAX/VMS Macro V04-00 Page 4  
FOR\$ENODEF - Define FORTRAN error number 6-SEP-1984 10:55:09 [FORRTL.SRC]FORENODEF.MAR;1 (4)

```
; End of module FOR$ENODEF
```

+-----+  
! Psect synopsis !  
+-----+

PSECT name	Allocation	PSECT No.	Attributes
ABS	00000000 ( 0.)	00 ( 0.)	NOPIC USR
FOR\$CODE	00000000 ( 0.)	01 ( 1.)	PIC USR

CON	ABS	LCL	NOSHR	NOEXE	NORD	NOWRT	NOVEC	BYTE
CON	REL	LCL	SHR	EXE	RD	NOWRT	NOVEC	LONG

+-----+  
! Performance indicators !  
+-----+

Phase	Page faults	CPU Time	Elapsed Time
Initialization	29	00:00:00.07	00:00:01.36
Command processing	119	00:00:00.54	00:00:03.65
Pass 1	98	00:00:00.68	00:00:02.48
Symbol table sort	0	00:00:00.03	00:00:00.13
Pass 2	39	00:00:00.32	00:00:01.96
Symbol table output	1	00:00:00.01	00:00:00.08
Psect synopsis output	2	00:00:00.01	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	290	00:00:01.66	00:00:09.68

The working set limit was 900 pages.  
2873 bytes (6 pages) of virtual memory were used to buffer the intermediate code.  
There were 10 pages of symbol table space allocated to hold 61 non-local and 0 local symbols.  
126 source lines were read in Pass 1, producing 11 object records in Pass 2.  
3 pages of virtual memory were used to define 1 macro.

+-----+  
! Macro library statistics !  
+-----+

Macro library name	Macros defined
\$_255\$DUA28:[FORRTL.OBJ]FORRTL.MLB;1	1
\$_255\$DUA28:[SYSLIB]STARLET.MLB;2	0
TOTALS (all libraries)	1

63 GETS were required to define 1 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:FORENODEF/OBJ=OBJ\$:FORENODEF MSRC\$:FORENODEF/UPDATE=(ENH\$:FORENODEF)+L1



0180

AH-BT13A-SE  
 VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY